



## **DECLARATION OF CONFORMITY**

**AGC GLASS EUROPE**  
**RenoWindow s.r.l.**

Rue de Wavre 27/4  
BE 1301 Wavre  
e-mail : info@fineoglass.eu

declares, under our sole responsibility, that the product:

### **FINEO**

- conforms to the European Technical Assessment  
**ETA 20/0048 – Version 1 – Date of issue: 2020-01-22**

The conformity of this product to the above mentioned standard is ensured by reports certified by an independent institute, UBAtc Assessment Operator, Belgian Certification Association, Rue d'Arlon 53, 1040 Brussels (Member of EOTA, UEAtc and WFTAO).

- conforms to the the European Standard  
**EN 673: 2011 Glass in building – Determination of thermal transmittance (U value)**

The conformity of this product to the above mentioned standard is ensured by reports certified by an independent institute, Belgian Building Research Institute with references: Notified Body number : 1136; BELAC Accreditation number : 042-TEST.

The thermal transmittance is  
**0.7 W/m<sup>2</sup>.K**

Louvain-La-Neuve, June 22nd, 2020  
*Place, Date*

Alex Caestecker  
Product Manager FINEO  
RENOWINDOW - AGC Glass Europe  
Name, Surname, Function, Company Name

This document conforms the European Standard EN ISO/CEI 17050-1.